NSN 4820-00-871-7391

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-871-7391

Pipe Size Accommodated:
0.500 inches all ends
Flow Control Device:
Disk
Bonnet Type:
Inside spring
Bonnet Attachment Method:
Threaded
Disk Loading Method:
Spring
Renewable Seat Ring Type:
Threaded
Connection Style:
Socket with brazing ring err-100
Valve Operation Method:
Manual
Connection Type:
Unthreaded internal pipe all ends
Features Provided:
Pressure tight outlet side
Adjustable Pressure Range:
+2301.0/+3600.0 pounds per square inch
Maximum Operating Pressure:
3600.0 pounds per square inch single response
Material:
Nickel alloy flow control device
Material Specification:
Qq-c-390 federal specification single material response body
Media For Which Designed:
Air single response
Style Designator:
Err-090
Furnished Items And Quantity:
2 nut
Specification Or Standard:
A1 type and c class
Reference Number Differentiating Characteristics:
As differentiated by pac cqcy
Shelf Life:
N/a
Unit Of Measure:

--

NSN 4820-00-871-7391

Safety Relief Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A046b0