

NSN 4820-00-874-3752 Check Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-00-874-3752 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 275.0 degrees fahrenheit single response **Connection Style:** Flared (tube) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded external tube all ends **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 16 1st end **Maximum Operating Pressure:** 3000.0 pounds per square inch single response

**Thread Size:** 

0.750 inches all ends

Seat Angle:

37.0 degrees 1st end

**Outside Diameter Tube Accommodated:** 

0.500 inches 1st end

Material:

Stainless steel flow control device

Media For Which Designed:

Hydraulic fluid, phosphate-ester base single response

**Surface Treatment:** 

Anodize

**Style Designator:** 

Angle

**Thread Series Designator:** 

Unf all ends

Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 4820-00-874-3752

Check Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A530b0