NSN 4820-00-875-1574

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-875-1574 Flow Control Device: Disk **Bonnet Type:** Inside spring **Bonnet Attachment Method: Bolted Disk Loading Method:** Spring **Bolt Hole Quantity:** 14 1st end **Maximum Operating Temp:** 650.0 degrees fahrenheit single response **Valve Operation Method:** Automatic Flange Shape: Round with holes 2nd end **Connection Type:** Flange 1st end **Mounting Facility: Bracket** Valve Size: 8.000 inches **Maximum Operating Pressure:** 50.0 pounds per square inch single response **Outside Diameter:** 12.750 inches 1st end Thickness: 1.437 inches 2nd end **First Connection Face To Centerline Distance:** 9.187 inches **Bolt Hole Diameter:** 0.875 inches 2nd end **Second Connection Face To Centerline Distance:** 10.000 inches

Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Plain 1st end Material: Steel comp 416 stem

Style Designator:

Err-090

NSN 4820-00-875-1574

Safety Relief Valve - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0