NSN 4820-00-875-9874

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-875-9874 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends Flow Control Device: Poppet **Disk Loading Method:** Spring **Maximum Operating Temp:** 200.0 degrees fahrenheit single response **Connection Style:** G45 flareless (tube) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded external tube all ends **Features Provided:** Pressure tight outlet side **Maximum Operating Pressure:** 400.0 pounds per square inch single response **Thread Size:** 0.750 inches all ends Seat Angle: 12.0 degrees all ends **Opening Pressure Setting:** 85.0 pounds per square inch Material: Steel comp 303 **Material Specification:** 66 federal standard single material response Media For Which Designed: Ethylene glycol single response **Style Designator:** Err-090 **Test Data Document:** 18876-10a0 5482 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Thread Series Designator:** Unf all ends

N/a

Shelf Life:

Unit Of Measure:

NSN 4820-00-875-9874

Safety Relief Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A046b0