NSN 4820-00-877-4967

Restrictor Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-877-4967 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends **Maximum Operating Temp:** 250.0 degrees fahrenheit single response **Connection Style:** Flareless all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded external tube all ends **Mounting Position:** Horizontal **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.437 inches all ends Seat Angle: 12.0 degrees all ends **Outside Diameter Tube Accommodated:** 0.250 inches all ends Material: Stainless steel Media For Which Designed: Fuel/oil, hydrocarbon single response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, type 2 military specification single treatment response **Style Designator:** Straight thru **Supplementary Features:** Flow control device: stem **Thread Series Designator:** Unjf all ends Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 4820-00-877-4967

Restrictor Check Valve - Page 2 of 2



Fiig:

A530b0

Mil-std (military Standard):

Mil-a-8625 spec.