NSN 4820-00-881-0176



Safety Relief Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-00-881-0176 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends Flow Control Device: Ball **Bonnet Type:** Packing retaining **Disk Loading Method:** Spring **Maximum Operating Temp:** 225.0 degrees fahrenheit single response **Connection Style:** G42 flared (tube) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded external tube all ends **Features Provided:** Pressure tight outlet side Thready Qty Per Inch (tpi): 20 all ends **Maximum Operating Pressure:** 60.0 pounds per square inch single response **Thread Size:** 0.437 inches all ends Seat Angle: 37.0 degrees all ends **Outside Diameter Tube Accommodated:** 0.250 inches all ends **Special Features:** First end bulkhead thd Material: Stainless steel Media For Which Designed: Fuel/oil, hydrocarbon single response **Style Designator:** Err-090 **Thread Series Designator:** Unf all ends

N/a

Shelf Life:

NSN 4820-00-881-0176

Safety Relief Valve - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A046b0