## NSN 4820-00-881-4770

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-881-4770 **Body Style:** Straight thru Media For Which Designed: Air **First End Connection Type:** Threaded external tube First End Style Designator: Flared First End Outside Diameter Tube Accommodated: 0.500 inches First End Thread Size And Series/type Designator: 3/4-16 unf First End Thread Class: **First End Thread Direction:** Right-hand Second End Relationship With First End: Not identical **Second End Connection Type:** Threaded external tube **Second End Style Designator:** Flared **Second End Outside Diameter Tube Accommodated:** 0.375 inches Second End Thread Size And Series/type Designator: 9/16-18 unf **Second End Thread Class:** За **Second End Thread Direction:** Right-hand First End Seat Angle In Deg: Second End Seat Angle In Deg: 37.0 **End Connection Quantity: Regulation Type:** Automatic single stage Valve Loading Method:

Spring

**Maximum Inlet Pressure Rating:** 

55.0 pounds per square inch

## NSN 4820-00-881-4770

Fluid Pressure Regulating Valve - Page 2 of 2



| 0 | utlet | <b>Pressure</b> | Setting |
|---|-------|-----------------|---------|
|---|-------|-----------------|---------|

15.0 pounds per square inch

**Outlet Pressure Accuracy Rating:** 

2.000 pounds per square inch

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A21100