NSN 4820-00-882-0600

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-882-0600 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 300.0 degrees fahrenheit single response **Connection Style:** Flared (tube) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded external boss all ends **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 12 all ends **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 1.062 inches all ends Seat Angle: 37.0 degrees all ends Material: Steel comp 440c flow control device **Material Specification:** Qq-a-225/6, alloy 2024, t6 federal specification single material response seat Media For Which Designed: Fuel/oil, hydrocarbon single response **Surface Treatment:** Anodize **Style Designator:** Straight thru **Thread Series Designator:** Unj all ends Shelf Life: N/a

Unit Of Measure:

NSN 4820-00-882-0600

Check Valve - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A530b0