# NSN 4820-00-882-0600

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-882-0600

Thread	Class:

3a all ends

**Thread Direction:** 

Right-hand all ends

# Flow Control Device:

Poppet

#### **Disk Loading Method:**

Spring

#### Maximum Operating Temp:

300.0 degrees fahrenheit single response

#### **Connection Style:**

Flared (tube) all ends

#### Valve Operation Method:

Automatic

#### **Connection Type:**

Threaded external boss all ends

#### **Mounting Position:**

Horizontal or vertical

# Thready Qty Per Inch (tpi):

12 all ends

### Maximum Operating Pressure:

3000.0 pounds per square inch single response

#### Thread Size:

1.062 inches all ends

#### Seat Angle:

37.0 degrees all ends

#### Material:

Steel comp 440c flow control device

#### Material Specification:

Qq-a-225/6, alloy 2024, t6 federal specification single material response seat

#### Media For Which Designed:

Fuel/oil, hydrocarbon single response

#### Surface Treatment:

Anodize

#### Style Designator:

Straight thru

#### **Thread Series Designator:**

Unj all ends

#### Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 4820-00-882-0600

Check Valve - Page 2 of 2

# Demilitarization:

Yes - demil/mli

Fiig:

A530b0

