## NSN 4820-00-883-0163

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-883-0163

| Flow Control Device:  |
|---|
| Disk  |
| Renewable Seat Ring Type:   |
| Threaded  |
| Bolt Hole Quantity:   |
| 8 all ends  |
| Maximum Operating Temp:   |
| 500.0 degrees fahrenheit single response                          |
| Valve Operation Method:   |
| Automatic   |
| Flange Shape:   |
| Round with holes all ends   |
| Connection Type:  |
| Flange all ends   |
| Mounting Position:  |
| Horizontal or vertical  |
| Valve Size:   |
| 4.000 inches  |
| Maximum Operating Pressure:                                       |
| 150.0 pounds per square inch 1st response                         |
| Outside Diameter:   |
| 9.000 inches all ends   |
| Face To Face Distance:  |
| 11.000 inches   |
| Thickness:  |
| 0.875 inches all ends   |
| Bolt Hole Diameter:   |
| 0.750 inches all ends   |
| Bolt Circle Diameter:   |
| 7.500 inches all ends   |
| Flange Face Design:   |
| Raised straight all ends  |
| Raised Face Height:   |
| 0.062 inches 1st end  |
| Raised Face Diameter:   |
| 6.188 inches 1st end  |
| Material:   |
| Stainless steel seat  |
| Material Specification:   |
| , astma216, grade wca assn standard single material response body |
| Media For Which Designed:   |
| Air 1st response  |

## NSN 4820-00-883-0163

Check Valve - Page 2 of 2



| Sty |  |  |  |  |
|-----|--|--|--|--|
|     |  |  |  |  |

Straight through flanged ends

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A530b0