

View Online at <https://aerobasegroup.com/nsn/4820-00-887-4280>

Body Material:

Aluminum alloy

Outside Surface Treatment:

Anodized, mil-a-8625, type 2

Body Style:

Tee

Media For Which Designed:

Hydraulic fluid, phosphate-ester base

First End Connection Type:

Threaded internal boss

First End Style Designator:

Gasket seal

First End Thread Size And Series/type Designator:

7/8&14 unf

First End Thread Class:

3b

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Identical

Third End Relationship With Preceding Ends:

Not identical with first or second end

Third End Connection Type:

Threaded internal boss

Third End Style Designator:

Gasket seal

Third End Thread Size And Series/type Designator:

3/4&16 unf

Third End Thread Class:

3b

Third End Thread Direction:

Right-hand

Seat Material:

Steel, ams 5630

Packing Material:

Rubber, synthetic

Flow Control Device:

Poppet

Flow Control Device Material:

Steel, ams 5630

End Connection Quantity:

3

Renewable Seat Ring Type:

Pressed-in

Outlet Pressure Range:

+90.0/+105.0 pounds per square inch

Regulation Type:

Automatic double stage

Valve Loading Method:

Spring

Maximum Inlet Pressure Rating:

3000.0 pounds per square inch

Filter:

Not included

Temperature Rating:

Between -65.0 degrees fahrenheit and 160.0 degrees fahrenheit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A21100