## NSN 4820-00-889-6157

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-889-6157

Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Bolt Hole Quantity:
4 1st end
Width:
4.062 inches 1st end
Length:
4.062 inches 1st end
Valve Operation Method:
Automatic
Flange Shape:
Rectangular with holes 1st end
Connection Type:
Flange 1st end
Mounting Facility:
Bracket
Features Provided:
Pressure tight outlet side
Maximum Operating Pressure:
125.0 pounds per square inch single response
Thickness:
2.453 inches 1st end
Bolt Hole Diameter:
0.562 inches 1st end
Center To Center Distance Between Bolt Holes Along Length:
3.000 inches 1st end
Center To Center Distance Between Bolt Holes Along Width:
3.000 inches 1st end
Flange Face Design:
Plain 1st end
Material:
Steel
Media For Which Designed:
Oil single response
Style Designator:
Err-090
Shelf Life:

N/a

## NSN 4820-00-889-6157

Safety Relief Valve - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A046b0

