

View Online at <https://aerobasegroup.com/nsn/4820-00-904-3487>

Body Material:

Steel, federal standard 66, aisi 347/sae 30347

Outside Surface Treatment:

Passivated

Body Style:

Straight thru

Furnished Items:

Automatic relief valve

Media For Which Designed:

Air and helium and nitrogen, gaseous

First End Connection Type:

Threaded internal boss

First End Style Designator:

Gasket seal

First End Thread Size And Series/type Designator:

7/16-20 unf

First End Thread Class:

3b

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Identical

Seat Material:

Plastic

Packing Material:

Rubber, buna-n

Flow Control Device:

Poppet

Flow Control Device Material:

Steel, corrosion resisting

End Connection Quantity:

2

Renewable Seat Ring Type:

Pressed-in

Mounting Facility:

Bracket

Outlet Pressure Range:

+0.0/+1500.0 pounds per square inch

Regulation Type:

Automatic double stage

Valve Stem Design:

Double seat

Valve Loading Method:

Spring

Remote Actuation Method:

Diaphragm

Maximum Inlet Pressure Rating:

6000.0 pounds per square inch

Filter:

Included

Temperature Rating:

Between -40.0 degrees fahrenheit and 160.0 degrees fahrenheit

Special Features:

10.0 micron, smallest size particle filtered

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A21100