NSN 4820-00-913-0838

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-913-0838 **Thread Class:** 3a 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 450.0 degrees fahrenheit single response **Connection Style:** Flared (tube) 2nd end **Valve Operation Method:** Automatic **Connection Type:** Threaded external tube 2nd end **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 18 2nd end **Maximum Operating Pressure:** 300.0 pounds per square inch single response **Thread Size:** 0.750 inches 1st end Seat Angle: 37.0 degrees 2nd end **Outside Diameter Tube Accommodated:** 0.500 inches 1st end Material: Aluminum alloy seat Media For Which Designed: Fuel/oil, hydrocarbon 2nd response **Surface Treatment:** Anodize **Style Designator:** Straight thru **Thread Series Designator:** Unf 2nd end Shelf Life: N/a **Unit Of Measure:**

--

NSN 4820-00-913-0838

Check Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A530b0