NSN 4820-00-914-7055

Stop-check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-914-7055 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet Bonnet Type:** Packing retaining **Disk Loading Method:** Spring **Maximum Operating Temp:** 160.0 degrees fahrenheit single response **Connection Style:** Flared (tube) all ends **Valve Operation Method:** Manual **Connection Type:** Threaded external tube all ends **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 20 all ends **Maximum Operating Pressure:** 35.0 pounds per square inch single response **Thread Size:** 0.438 inches 2nd end Seat Angle: 37.0 degrees all ends **Outside Diameter Tube Accommodated:** 0.250 inches 1st end **Special Features:** Bulkhead threads on inlet end Material: Aluminum alloy seat Media For Which Designed: Fuel/oil, hydrocarbon 1st response **Style Designator:** Straight thru **Thread Series Designator:**

Unf 1st end

Shelf Life:

N/a

NSN 4820-00-914-7055

Stop-check Valve - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A530b0