NSN 4820-00-914-9511

Check Valve - Page 1 of 2

N/a



view Online at https://aerobasegroup.com/nsn/4620-00-914-9511
Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
End Application:
Acft, type f-4
Connection Style:
Flared (tube) 1st end
Connection Type:
Threaded external tube 2nd end
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
20 2nd end
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.438 inches 2nd end
Seat Angle:
37.0 degrees 2nd end
Outside Diameter Tube Accommodated:
0.250 inches 2nd end
Media For Which Designed:
Air single response
Surface Treatment:
Passivate
Style Designator:
Angle
Supplementary Features:
Appl to emergency flap system, f-4 acft
Test Data Document:
99240-3c1986 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Thread Series Designator:
Unf 2nd end
Fsc Application Data:
Emergency flap system, aircraft
Shelf Life:

NSN 4820-00-914-9511

Check Valve - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A530b0