

View Online at <https://aerobasegroup.com/nsn/4820-00-915-5308>

Thread Class:

3a 2nd end

Thread Direction:

Right-hand 2nd end

Flow Control Device:

Plug

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Integral

Bolt Hole Quantity:

2 1st end

Connection Style:

G42 flared (tube) 2nd end

Width:

1.366 inches 1st end

Length:

2.426 inches 1st end

Valve Operation Method:

Manual

Flange Shape:

Oval with holes 1st end

Connection Type:

Threaded external tube 2nd end

Maximum Operating Pressure:

250.0 pounds per square inch single response

Thread Size:

0.875 inches 2nd end

Seat Angle:

37.0 degrees 2nd end

Thickness:

0.308 inches 1st end

Bolt Hole Diameter:

0.342 inches 1st end

Bolt Circle Diameter:

1.610 inches 1st end

Flange Face Design:

Plain swivel 1st end

Special Features:

Item has extra connection on side below bonnet thd ext

Material:

Steel

Media For Which Designed:

Air single response

Style Designator:

Err-090

Thread Series Designator:

Unf 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiiig:

A046b0