

View Online at <https://aerobasegroup.com/nsn/4820-00-917-4394>

Thread Class:

2a 2nd end

Thread Direction:

Right-hand 2nd end

Bonnet Type:

Packing retaining

Maximum Operating Temp:

400.0 degrees fahrenheit single response

Connection Style:

G63 beaded (hose) 1st end

Valve Operation Method:

Manual

Connection Type:

Unthreaded external hose 1st end

Thready Qty Per Inch (tpi):

14 2nd end

Maximum Operating Pressure:

60.0 pounds per square inch single response

Thread Size:

1.000 inches 2nd end

Inside Diameter Hose Accommodated:

1.000 inches 1st end

Outside Diameter Tube Accommodated:

1.032 inches 2nd end

Material:

Steel comp 303 stem

Material Specification:

Qq-s-764, type303-canceled federal specification single material response stem

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type1 military specification single treatment response

Style Designator:

Err-090

Thread Series Designator:

Uns 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A046b0

Mil-std (military Standard):

Mil-a-8625 spec.