NSN 4820-00-917-4394



Ball Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-00-917-4394 **Thread Class:** 2a 2nd end **Thread Direction:** Right-hand 2nd end **Bonnet Type:** Packing retaining **Maximum Operating Temp:** 400.0 degrees fahrenheit single response **Connection Style:** G63 beaded (hose) 1st end **Valve Operation Method:** Manual **Connection Type:** Unthreaded external hose 1st end Thready Qty Per Inch (tpi): 14 2nd end **Maximum Operating Pressure:** 60.0 pounds per square inch single response **Thread Size:** 1.000 inches 2nd end **Inside Diameter Hose Accommodated:** 1.000 inches 1st end **Outside Diameter Tube Accommodated:** 1.032 inches 2nd end Material: Steel comp 303 stem **Material Specification:** Qq-s-764, type303-canceled federal specification single material response stem Media For Which Designed: Fuel/oil, hydrocarbon single response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, type1 military specification single treatment response **Style Designator:** Err-090 **Thread Series Designator:** Uns 2nd end Shelf Life: N/a

Unit Of Measure:

NSN 4820-00-917-4394

Ball Valve - Page 2 of 2



_										
וו	0	m	ш	м	•	iza	31	^	n	

No

Fiig:

A046b0

Mil-std (military Standard):

Mil-a-8625 spec.