NSN 4820-00-918-0901

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-918-0901

view Online at https://aerobasegroup.com/nsi//4620-00-916-0901
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Bonnet Type:
Inside spring
Bonnet Attachment Method:
Integral
Disk Loading Method:
Spring
Maximum Operating Temp:
121.0 degrees celsius single response
Connection Style:
G46b plain (pipe) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded external pipe 1st end
Adjustable Pressure Range:
+8.0/+10.0 pounds per square inch
Thread Size:
0.125 inches 1st end
Special Features:
Hex. 0.500 in. Across flats
Material:
Steel comp 302 seat
Material Specification:
Qq-s-763, class 302 federal specification single material response seat
Media For Which Designed:
Gas, natural single response
Surface Treatment:
Passivate
Style Designator:
Err-090
Thread Series Designator:
Npt 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

NSN 4820-00-918-0901

Safety Relief Valve - Page 2 of 2

Fiig: A046b0

