NSN 4820-00-922-1363

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-922-1363 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 480.0 degrees fahrenheit 2nd response **Connection Style:** Flared (tube) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded external tube all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.438 inches all ends Seat Angle: 37.0 degrees 1st end **Opening Pressure Setting:** 2.7 pounds per square inch **Outside Diameter Tube Accommodated:** 0.250 inches 1st end Material: Silicon seat **Material Specification:** Alloy 6061, temper t6, aluminum association assn standard single material response seat Media For Which Designed: Fuel/oil, hydrocarbon 2nd response **Style Designator:** Straight thru **Thread Series Designator:** Unjf all ends Shelf Life: N/a

--

Unit Of Measure:

NSN 4820-00-922-1363

Check Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A530b0