## NSN 4820-00-928-7633

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-928-7633 **Thread Class:** 3a 1st end **Thread Direction:** Right-hand 2nd end Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 300.0 degrees fahrenheit single response **Connection Style:** External seat for gasket seal (boss) 2nd end **Valve Operation Method:** Automatic **Connection Type:** Threaded external boss 2nd end **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 600.0 pounds per square inch single response **Thread Size:** 0.438 inches 1st end Seat Angle: 37.0 degrees 2nd end Material: Aluminum alloy 2024 body Media For Which Designed: Hydraulic fluid, petroleum base single response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, type 1 military specification single treatment response **Style Designator:** Straight thru **Thread Series Designator:** Unjf 2nd end Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** No

## NSN 4820-00-928-7633

Check Valve - Page 2 of 2



Fiig:

A530b0

Mil-std (military Standard):

Mil-a-8625 spec.