## NSN 4820-00-936-0697

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-936-0697 **Thread Class:** 3a 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: Disk **Disk Loading Method:** Spring **Maximum Operating Temp:** 275.0 degrees fahrenheit single response **Connection Style:** G45 flareless (tube) 1st end **Connection Type:** Threaded external tube 1st end **Features Provided:** Pressure tight outlet side Thready Qty Per Inch (tpi): 18 1st end **Maximum Operating Pressure:** 100.0 pounds per square inch single response **Thread Size:** 0.562 inches 1st end Seat Angle: 37.0 degrees all ends **Opening Pressure Setting:** 22.0 pounds per square inch **Outside Diameter Tube Accommodated:** 0.375 inches 1st end Material: Aluminum alloy seat Media For Which Designed: Hydraulic fluid, phosphate-ester base single response **Style Designator:** Err-090 **Thread Series Designator:** Unf 1st end Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 4820-00-936-0697

Safety Relief Valve - Page 2 of 2



Fiig:

A046b0