

View Online at <https://aerobasegroup.com/nsn/4820-00-938-7470>

Body Material:

Aluminum alloy, qq-a-601, alloy 356, temper t6

Outside Surface Treatment:

Anodized

Body Style:

Straight thru

Stem Material:

Aluminum alloy, qq-a-200/3, alloy 2024, t4

First End Connection Type:

Threaded internal boss

First End Style Designator:

Gasket seal

First End Thread Size And Series/type Designator:

7/16-20 unjf

First End Thread Class:

3b

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Identical

Seat Material:

Aluminum alloy, qq-a-200/3, alloy 2024, t4

Packing Material:

Rubber, buna-n

Flow Control Device:

Piston, weighted type

Flow Control Device Material:

Aluminum alloy, qq-a-200/3, alloy 2024, t4

End Connection Quantity:

2

Renewable Seat Ring Type:

Pressed-in

Regulation Type:

Manual single stage

Manual Control Method:

Screw

Valve Loading Method:

Spring

Maximum Inlet Pressure Rating:

1000.0 pounds per square inch

Outlet Pressure Setting:

23.0 pounds per square inch

Outlet Pressure Accuracy Rating:

1.000 pounds per square inch

Filter:

Not included

Temperature Rating:

Between -61.0 degrees fahrenheit and 150.0 degrees fahrenheit

Supplementary Features:

Appl to acft, type c-130/apq 122

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A21100