## NSN 4820-00-939-3589

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-939-3589 **Body Material:** Aluminum alloy **Outside Surface Treatment:** Any acceptable **Body Style:** Tee Stem Material: Steel, corrosion resisting Media For Which Designed: Fluid, petroleum base **First End Connection Type:** Threaded internal tube First End Style Designator: Optional end First End Outside Diameter Tube Accommodated: 0.375 inches First End Thread Size And Series/type Designator: 9/16-18 unf **First End Thread Class:** 2b **First End Thread Direction:** Right-hand Second End Relationship With First End: Identical Third End Relationship With Preceding Ends: Identical with first end **Seat Material:** Steel, corrosion resisting First End Seat Radius: 0.580 inches **Flow Control Device:** Cone, top guided Flow Control Device Material: Steel, corrosion resisting **End Connection Quantity: Outlet Pressure Range:** +9.0/+11.0 pounds per square inch **Regulation Type:** Automatic single stage Valve Stem Design:

Single seat

## NSN 4820-00-939-3589

Fluid Pressure Regulating Valve - Page 2 of 2



Valve Loading Method:
Spring
Remote Actuation Method:
Diaphragm
Maximum Inlet Pressure Rating:
120.0 pounds per square inch
Outlet Pressure Accuracy Rating:
Not rated
Filter:
Not included
Tempurature Rating:
Between -65.0 degrees fahrenheit and 450.0 degrees fahrenheit
Special Features:
1 gpm maximum flow capacity at maximum rated inlet and outlet pressures
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
A21100