NSN 4820-00-943-7279

Angle Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-943-7279

Pipe Size Accommodated:
1.000 inches 1st end
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Renewable Seat Ring Type:
Threaded
Maximum Operating Temp:
150.0 degrees fahrenheit single response
Connection Style:
Socket with brazing ring err-100
Valve Operation Method:
Manual
Connection Type:
Unthreaded internal pipe 1st end
Features Provided:
Bonnet packing
Maximum Operating Pressure:
700.0 pounds per square inch single response
Criticality Code Justification:
Zzzy
Material:
Nickel alloy 400 stem
Media For Which Designed:
Water-oil-gas single response
Style Designator:
Err-090
Test Data Document:
80064-ss845-1889587 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer
drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Furnished Items And Quantity:
2 brazing ring
Specification Or Standard:
D assembly
Reference Number Differentiating Characteristics:
Quality control iaw navships 0948-045-7010 material identification and control instruction for level 1 items
Shelf Life:
N/a
Unit Of Measure:

__

NSN 4820-00-943-7279

Angle Valve - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A046b0