

NSN 4820-00-945-1940 Fluid Pressure Regulating Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-00-945-1940 **Body Material:** Aluminum alloy **Outside Surface Treatment:** Anodized **Body Style:** Straight through w/offset Media For Which Designed: Air **First End Connection Type:** Threaded internal tube First End Style Designator: Gasket seal First End Outside Diameter Tube Accommodated: 0.500 inches First End Thread Size And Series/type Designator: 3/4-16 unf **First End Thread Class:** 3b First End Thread Direction: Right-hand Second End Relationship With First End: Not identical **Second End Connection Type:** Threaded internal pipe Second End Style Designator: Optional end Second End Thread Size And Series/type Designator: 3/8-18 npt **Second End Thread Direction:** Right-hand

**Seat Material:** 

Plastic, polyurethane

Offset Distance:

Between 0.358 inches and 0.372 inches

First End Seat Angle In Deg:

45.0

**Packing Material:** 

Plastic, polyurethane

Flow Control Device:

**Poppet** 

Flow Control Device Material:

Steel, corrosion resisting, qq-s-763, class 302, 303, 304, 305, 310, or 316

NSN 4820-00-945-1940 Fluid Pressure Regulating Valve - Page 2 of 2



End Connection Quantity:
2
Renewable Seat Ring Type:
Pressed-in
Outlet Pressure Range:
+45.0/+55.0 pounds per square inch
Regulation Type:
Automatic single stage
Valve Loading Method:
Spring
Maximum Inlet Pressure Rating:
2250.0 pounds per square inch
Filter:
ncluded
Tempurature Rating:
Between -25.0 degrees fahrenheit and 115.0 degrees fahrenheit
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A21100