## NSN 4820-00-955-5968

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-955-5968 **Thread Class:** 3a 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: Disk **Disk Loading Method:** Spring **Valve Discharge Flow Rate:** 45.0 gallons per minute **End Application:** Grummin aerospace a10 aircraft **Connection Style:** G4 gasket sea (boss) 2nd end **Valve Operation Method:** Automatic **Connection Type:** Threaded internal boss 2nd end **Features Provided:** Pressure tight outlet side Thready Qty Per Inch (tpi): 12 2nd end **Maximum Operating Pressure:** 1000.0 pounds per square inch single response **Thread Size:** 1.875 inches 2nd end Seat Angle: 37.0 degrees 1st end **Opening Pressure Setting:** 50.0 pounds per square inch **Outside Diameter Tube Accommodated:** 1.500 inches 1st end Material:

Steel **Style Designator:** Err-090 **Thread Series Designator:** Un 2nd end Shelf Life: N/a **Unit Of Measure:** 

## NSN 4820-00-955-5968

Safety Relief Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A046b0