## NSN 4820-00-957-5501

Angle Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-957-5501

| Pipe Size Accommodated:  |
|--|
| 0.750 inches 1st end   |
| Thread Direction:  |
| Right-hand 1st end   |
| Flow Control Device:   |
| Disk   |
| Bonnet Type:   |
| Inside screw   |
| Bonnet Attachment Method:  |
| Union  |
| Renewable Seat Ring Type:  |
| Threaded   |
| Maximum Operating Temp:  |
| 550.0 degrees fahrenheit single response                               |
| Connection Style:  |
| G9 plain, optional en (pipe) 1st end                                   |
| Valve Operation Method:  |
| Manual   |
| Connection Type:   |
| Threaded internal pipe 1st end   |
| Features Provided:   |
| Bonnet packing   |
| Thready Qty Per Inch (tpi):  |
| 14 1st end   |
| Maximum Operating Pressure:  |
| 600.0 pounds per square inch 2nd response                              |
| Thread Size:   |
| 0.750 inches 1st end   |
| Material:  |
| Copper alloy   |
| Material Specification:  |
| Qq-c-390, alloy d4 federal specification single material response body |
| Media For Which Designed:  |
| Steam single response  |
| Style Designator:  |
| Err-090  |
| Thread Series Designator:  |
| Npt 1st end  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |

--

## NSN 4820-00-957-5501

Angle Valve - Page 2 of 2



| _  |     |         |     |     |    |  |
|----|-----|---------|-----|-----|----|--|
| 11 | em) | <br>tor | 172 | + 1 | nn |  |
|    |     |         |     |     |    |  |

No

Fiig:

A046b0