NSN 4820-00-957-5549

Globe Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-957-5549

Flow Control Device:
Disk
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Renewable Seat Ring Type:
Threaded
Bolt Hole Quantity:
8 1st end
Maximum Operating Temp:
450.0 degrees fahrenheit single response
Valve Operation Method:
Manual
Flange Shape:
Round with holes 1st end
Connection Type:
Flange 1st end
Features Provided:
Bonnet packing
Valve Size:
4.000 inches
Maximum Operating Pressure:
500.0 pounds per square inch 2nd response
Outside Diameter:
10.000 inches 1st end
Face To Face Distance:
14.000 inches
Thickness:
1.250 inches 1st end
Bolt Hole Diameter:
0.875 inches 1st end
Bolt Circle Diameter:
7.875 inches 1st end
Flange Face Design:
Raised straight 1st end
Raised Face Height:
0.062 inches 1st end
Raised Face Diameter:
6.938 inches 1st end
Material:
Iron body

NSN 4820-00-957-5549

Globe Valve - Page 2 of 2



Media For Which Designe	d	:
-------------------------	---	---

Water-oil-gas 2nd response

Style Designator:

Err-090

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0