NSN 4820-00-960-3984

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-960-3984

Pipe Size Accommodated:
1.205 inches 1st end
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Bonnet Type:
Packing retaining
Disk Loading Method:
Spring
Valve Discharge Flow Rate:
25.0 gallons per minute
Connection Style:
G4 gasket sea (boss) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded internal boss 1st end
Features Provided:
Pressure tight outlet side
Thready Qty Per Inch (tpi):
16 1st end
Thread Size:
0.750 inches 1st end
Seat Angle:
30.0 degrees 1st end
Opening Pressure Setting:
4800.0 pounds per square inch
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625 military specification single treatment response
Style Designator:
Err-090
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a
Unit Of Measure:

--

NSN 4820-00-960-3984

Safety Relief Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A046b0

Mil-std (military Standard):

Mil-a-8625 spec.