

View Online at <https://aerobasegroup.com/nsn/4820-00-961-2486>

Thread Class:

2a 1st end

Thread Direction:

Right-hand 1st end

Flow Control Device:

Stem

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Integral

Bolt Hole Quantity:

6 2nd end

Connection Style:

G42 flared (tube) 1st end

Width:

1.375 inches 2nd end

Length:

2.438 inches 2nd end

Valve Operation Method:

Manual

Flange Shape:

Oval with holes 2nd end

Connection Type:

Threaded external tube 1st end

Valve Size:

0.438 inches

Thread Size:

0.625 inches 1st end

Seat Angle:

37.0 degrees 1st end

Thickness:

0.312 inches 2nd end

First Connection Face To Centerline Distance:

1.375 inches

Bolt Hole Diameter:

0.350 inches 2nd end

Second Connection Face To Centerline Distance:

0.750 inches

Bolt Circle Diameter:

1.625 inches 2nd end

Flange Face Design:

Recessed straight 2nd end

Recess Diameter:

0.812 inches 2nd end

Recess Depth:

0.016 inches 2nd end

Special Features:

Stem cap

Material:

Steel

Style Designator:

Err-090

Thread Series Designator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0