## NSN 4820-00-966-6334

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-966-6334 **Body Material:** Aluminum alloy **Outside Surface Treatment:** Anodized **Body Style:** Straight thru Media For Which Designed: Hydrocarbon fuels and oils and air **First End Connection Type:** Threaded internal boss First End Style Designator: Gasket seal First End Thread Size And Series/type Designator: 9/16-18 unif First End Thread Class: 3b First End Thread Direction: Right-hand Second End Relationship With First End: Identical Third End Relationship With Preceding Ends: Not identical with first or second end **Third End Connection Type:** Threaded internal boss Third End Style Designator: Gasket seal Third End Thread Size And Series/type Designator: 7/16-20 unjf **Third End Thread Class:** 3b **Third End Thread Direction:** Fourth End Relationship With Preceding Ends: Identical with third end **Seat Material:** Steel, corrosion resisting Flow Control Device:

Diaphragm

Flow Control Device Material:

Rubber, synthetic

**End Connection Quantity:** 

## NSN 4820-00-966-6334

Fluid Pressure Regulating Valve - Page 2 of 2



Mounting Facility:
Flange
Outlet Pressure Range:
+2650.0/+3000.0 pounds per square inch
Valve Loading Method:
Spring
Remote Actuation Method:
Diaphragm
Filter:
Included
Tempurature Rating:
Between -65.0 degrees fahrenheit and 225.0 degrees fahrenheit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A21100