## NSN 4820-00-967-1108

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-967-1108

Pipe Size Accommodated: 0.500 inches 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: Disk **Bonnet Type:** Inside spring **Bonnet Attachment Method:** Threaded **Disk Loading Method:** Spring Valve Discharge Flow Rate: 529.0 cubic feet per minute Maximum Operating Temp: 100.0 degrees fahrenheit single response **Connection Style:** G9 plain, optional en (pipe) 1st end Valve Operation Method: Automatic **Connection Type:** Threaded internal pipe 1st end **Features Provided:** Pressure tight outlet side Thready Qty Per Inch (tpi): 14 1st end Maximum Operating Pressure: 10000.0 pounds per square inch single response **Thread Size:** 0.500 inches 1st end **Opening Pressure Setting:** 350.0 pounds per square inch Material: Stainless steel stem Style Designator: Err-090 **Thread Series Designator:** Npt 1st end Shelf Life: N/a Unit Of Measure:

---

## NSN 4820-00-967-1108

Safety Relief Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

