# 06



nsn/4820-00-990-6006

<b>NSN 4820-00-990-6006</b> Check Valve - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/4
Thread Class:
3a all ends
Thread Direction:
Right-hand all ends
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
275.0 degrees fahrenheit single response
Connection Style:
Flared (tube) all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube all ends
Mounting Facility:
Bulkhead
Mounting Position:
Horizontal or vertical
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.438 inches all ends
Seat Angle:
37.0 degrees all ends
Outside Diameter Tube Accommodated:
0.250 inches all ends
Material:
Stainless steel flow control device
Material Specification:

Qq-a-225/6, alloy 2024, t4 federal specification single material response seat

## Media For Which Designed:

Hydraulic fluid, phosphate-ester base single response

#### Surface Treatment:

Anodize

Style Designator:

Angle

## **Thread Series Designator:**

Unf all ends

Shelf Life:

N/a

# NSN 4820-00-990-6006

Check Valve - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A530b0

