

View Online at <https://aerobasegroup.com/nsn/4820-00-998-7752>

**Flow Control Device:**

Disk

**Bonnet Type:**

Inside screw

**Bonnet Attachment Method:**

Bolted

**Bolt Hole Quantity:**

6 2nd end

**Valve Operation Method:**

Manual

**Flange Shape:**

Round with holes 2nd end

**Connection Type:**

Flange 1st end

**Features Provided:**

Bonnet packing

**Valve Size:**

2.000 inches

**Maximum Operating Pressure:**

300.0 pounds per square inch single response

**Outside Diameter:**

5.562 inches 2nd end

**Thickness:**

0.750 inches 2nd end

**First Connection Face To Centerline Distance:**

6.250 inches

**Bolt Hole Diameter:**

0.687 inches 1st end

**Second Connection Face To Centerline Distance:**

4.875 inches

**Bolt Circle Diameter:**

5.187 inches 1st end

**Flange Face Design:**

Plain 2nd end

**Raised Face Height:**

0.062 inches 1st end

**Raised Face Diameter:**

3.625 inches 1st end

**Material:**

Nickel alloy body

**Media For Which Designed:**

Water-oil-gas single response

**Style Designator:**

Err-090

**Reference Number Differentiating Characteristics:**

As differentiated and amended by spcc specification 4820-00-9987752 for sub-safe items

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0