NSN 4820-01-007-0869

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-007-0869

Flow Control Device:
Piston
Bolt Hole Quantity:
4 2nd end
Connection Style:
Reduced socket (tube) 1st end
Valve Operation Method:
Manual
Flange Shape:
Round with holes 2nd end
Connection Type:
Unthreaded internal tube 1st end
Mounting Position:
Horizontal
Maximum Operating Pressure:
600.0 pounds per square inch single response
Outside Diameter:
4.875 inches 2nd end
Thickness:
0.938 inches 2nd end
Bolt Hole Diameter:
0.687 inches 2nd end
Bolt Circle Diameter:
3.500 inches 2nd end
Flange Face Design:
Raised straight 2nd end
Raised Face Height:
0.250 inches 2nd end
Raised Face Diameter:
2.000 inches 2nd end
Outside Diameter Tube Accommodated:
1.320 inches 1st end
Special Features:
Piston check valve type, piston check disc fully guided in body
Material:
Stainless steel stem
Material Specification:
Astm a105, grade 2 assn standard single material response
Surface Treatment:
Phosphate
Style Designator:
Straight thru

NSN 4820-01-007-0869

Check Valve - Page 2 of 2



he		

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0