Restrictor Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-013-9721

# Thread Direction:

Right-hand all ends

**Flow Control Device:** 

Disk

# **Disk Loading Method:**

Spring

# **Renewable Seat Ring Type:**

Pressed-in

#### **Connection Style:**

Plain, optional end (pipe) all ends

#### Valve Operation Method:

Automatic

#### Connection Type:

Threaded internal pipe all ends

#### **Mounting Position:**

Horizontal

#### Maximum Operating Pressure:

1000.0 pounds per square inch single response

#### **Thread Size:**

0.250 inches all ends

# **Special Features:**

Ported brass ball in secondary ofifice

# Material:

Stainless steel flow control device

#### **Material Specification:**

Qq-b-626, alloy 360 federal specification single material response body

#### Media For Which Designed:

Helium 4th response

#### Style Designator:

Straight thru

#### **Supplementary Features:**

Additional flow control device: stem

#### Thread Series Designator:

Npt all ends

# Furnished Items And Quantity:

1 nut

# Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

No

# NSN 4820-01-013-9721

Restrictor Check Valve - Page 2 of 2

Fiig: A530b0

Mil-std (military Standard):

Mil-g-1149 spec.

