NSN 4820-01-016-5488

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-016-5488

Flow Control Device:
Poppet
Disk Loading Method:
Spring
Renewable Seat Ring Type:
Pressed-in
Bolt Hole Quantity:
4 all ends
Width:
5.000 inches all ends
Length:
5.000 inches all ends
Valve Operation Method:
Automatic
Flange Shape:
Rectangular with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal or vertical
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thickness:
2.280 inches all ends
Bolt Hole Diameter:
0.781 inches all ends
Center To Center Distance Between Bolt Holes Along Length:
3.625 inches all ends
Center To Center Distance Between Bolt Holes Along Width:
3.625 inches all ends
Center To Center Distance:
2.000 inches
Flange Face Design:
Plain all ends
Special Features:
1.250 in. Valve size
Material:
Steel seat
Media For Which Designed:
Oil, hydraulic single response
Surface Treatment:

Paint

NSN 4820-01-016-5488

Check Valve - Page 2 of 2



Sty	ما	n	20	in	n	at.	۸r	
Oty:	Œ	$\boldsymbol{\mathcal{L}}$	C3	ıy	••	aι	vı	•

Straight thru

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0