## NSN 4820-01-017-2227

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-017-2227

Thread Class:					
3a 1st end					
Thread Direction:					
Right-hand 1st end					
Disk Loading Method:					
Spring					
Bolt Hole Quantity:					
4 2nd end					
Connection Style:					
Plain (tube) 1st end					
Width:					
2.375 inches 2nd end					
Length:					
2.375 inches 2nd end					
Flange Shape:					
Rectangular with holes 2nd end					
Connection Type:					
Threaded external tube 1st end					
Seat Angle:					
37.0 degrees 1st end					
Thickness:					
0.250 inches 2nd end					
Bolt Hole Diameter:					
0.266 inches 2nd end					
Center To Center Distance Between Bolt Holes Along Length:					
1.812 inches 2nd end					
Center To Center Distance Between Bolt Holes Along Width:					
1.812 inches 2nd end					
Flange Face Design:					
Plain 2nd end					
Outside Diameter Tube Accommodated:					
1.500 inches 1st end					
Special Features:					
Lug may be rotated 45 degrees maximum offrelation to flange					
Surface Treatment:					
Anodize					
Surface Treatment Specification:					
Mil-a-8625, type 1 military specification single treatment response					
Style Designator:					
Straight thru					
Shelf Life:					
N/a					

## NSN 4820-01-017-2227

Check Valve - Page 2 of 2



	ι	Jn	it	Of	Measure:
--	---	----	----	----	----------

--

Demilitarization:

No

Fiig:

A530b0

Mil-std (military Standard):

Mil-a-8625 spec.