NSN 4820-01-022-5927



Check Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-01-022-5927 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends Flow Control Device: Disk **Disk Loading Method:** Spring **Maximum Operating Temp:** 275.0 degrees fahrenheit single response **Connection Style:** Flareless all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded external tube all ends **Mounting Position:** Horizontal Thready Qty Per Inch (tpi): 12 all ends **Maximum Operating Pressure:** 265.0 pounds per square inch single response **Thread Size:** 1.625 inches 1st end Seat Angle: 12.0 degrees 1st end Material: Steel comp 303 **Material Specification:** Mil-s-7720, comp 303 military specification single material response body Media For Which Designed: Fuel/oil, hydrocarbon 2nd response **Surface Treatment: Passivate Surface Treatment Specification:** Mil-s-5002 military specification single treatment response **Style Designator:** Straight thru **Thread Series Designator:**

Shelf Life: N/a

Unj all ends

NSN 4820-01-022-5927

Check Valve - Page 2 of 2



Ullit Ol Measule.	U	Jnit	Of	Measure:
-------------------	---	------	----	----------

--

Demilitarization:

No

Fiig:

A530b0

Mil-std (military Standard):

Mil-s-7720 spec.