NSN 4820-01-024-1282



Check Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-01-024-1282 **Thread Class:** 3a 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 65.0 degrees fahrenheit single response **Connection Style:** External seat for gasket seal (boss) 2nd end **Valve Operation Method:** Automatic **Connection Type:** Threaded external boss 2nd end **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 12 1st end **Maximum Operating Pressure:** 4000.0 pounds per square inch single response **Thread Size:** 1.062 inches 1st end **Outside Diameter Tube Accommodated:** 0.750 inches 1st end Material: Steel stem **Surface Treatment: Passivate Surface Treatment Specification:** Mil-s-5002 military specification single treatment response **Style Designator:** Straight thru **Thread Series Designator:** Unjf 2nd end Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 4820-01-024-1282

Check Valve - Page 2 of 2



Fiig:

A530b0

Mil-std (military Standard):

Mil-s-5002 spec.