

View Online at <https://aerobasegroup.com/nsn/4820-01-025-7156>

**Thread Class:**

3a all ends

**Thread Direction:**

Right-hand all ends

**Flow Control Device:**

Poppet

**Disk Loading Method:**

Spring

**Maximum Operating Temp:**

160.0 degrees fahrenheit 2nd response

**Connection Style:**

Flareless all ends

**Valve Operation Method:**

Automatic

**Connection Type:**

Threaded external tube all ends

**Mounting Position:**

Horizontal or vertical

**Thready Qty Per Inch (tpi):**

12 all ends

**Maximum Operating Pressure:**

1500.0 pounds per square inch single response

**Thread Size:**

1.625 inches all ends

**Seat Angle:**

12.0 degrees all ends

**Material:**

Steel flow control device

**Media For Which Designed:**

Hydraulic fluid, phosphate-ester base single response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 1 military specification single treatment response

**Style Designator:**

Straight thru

**Thread Series Designator:**

Unj all ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A530b0

**Mil-std (military Standard):**

Mil-a-8625 spec.