

View Online at <https://aerobasegroup.com/nsn/4820-01-030-4941>

**Thread Class:**

3a 1st end

**Thread Direction:**

Right-hand 1st end

**Flow Control Device:**

Poppet

**Disk Loading Method:**

Spring

**Maximum Operating Temp:**

160.0 degrees fahrenheit 2nd response

**Connection Style:**

Flareless 1st end

**Valve Operation Method:**

Automatic

**Connection Type:**

Threaded external tube 1st end

**Mounting Position:**

Horizontal or vertical

**Maximum Operating Pressure:**

15.0 pounds per square inch single response

**Thread Size:**

0.500 inches 2nd end

**Seat Angle:**

12.0 degrees 1st end

**Material:**

Steel comp 440c seat

**Material Specification:**

Qq-s-763, class 440c federal specification single material response flow control device

**Media For Which Designed:**

Fuel/oil, hydrocarbon single response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 2 military specification single treatment response

**Style Designator:**

Straight thru

**Thread Series Designator:**

Unjf 1st end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A530b0

**Mil-std (military Standard):**

Mil-a-8625 spec.