

View Online at <https://aerobasegroup.com/nsn/4820-01-032-1411>

Body Material:

Steel, qq-s-763, class 316

Outside Surface Treatment:

Passivated

Body Style:

Straight thru

Furnished Items:

Automatic relief valve and inlet pressure gage and outlet pressure gage

Media For Which Designed:

Gas, corrosive and liquid, corrosive

First End Connection Type:

Threaded internal pipe

First End Style Designator:

Plain

First End Thread Size And Series/type Designator:

1/4-18 nptf

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Identical

Seat Material:

Plastic, kel-f-81, minnesota mining and mfg co and steel, corrosion resisting

Flow Control Device:

Poppet

Flow Control Device Material:

Steel, qq-s-763, class 316

End Connection Quantity:

2

Outlet Pressure Range:

+13.0 to 125.0 pounds per square inch

Regulation Type:

1st stage manual, 2nd stage automatic

Manual Control Method:

Tee handle

Valve Stem Design:

Single seat

Valve Loading Method:

Spring

Maximum Inlet Pressure Rating:

3000.0 pounds per square inch

Filter:

Not included

Temperature Rating:

Between -65.0 degrees fahrenheit and 180.0 degrees fahrenheit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A21100