

View Online at <https://aerobasegroup.com/nsn/4820-01-043-9706>

Body Material:

Aluminum

Body Style:

Cross

Stem Material:

Steel, corrosion resisting

Media For Which Designed:

Air

First End Connection Type:

Threaded internal pipe

First End Style Designator:

Plain

First End Thread Size And Series/type Designator:

1/4-18 npt

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Not identical

Second End Connection Type:

Threaded internal pipe

Second End Style Designator:

Plain

Second End Thread Size And Series/type Designator:

1/8-27 npt

Second End Thread Direction:

Right-hand

Third End Relationship With Preceding Ends:

Identical with first end

Fourth End Relationship With Preceding Ends:

Identical with second end

Seat Material:

Aluminum

First Connection Face To Centerline Distance:

0.781 inches

Second Connection Face To Centerline Distance:

0.781 inches

Third Connection Face To Centerline Distance:

0.781 inches

Err Default:

Err default

Packing Material:

Rubber, buna-n

Flow Control Device:

Diaphragm

Flow Control Device Material:

Rubber, buna-n

End Connection Quantity:

4

Renewable Seat Ring Type:

Threaded

Outlet Pressure Range:

+0.0/+125.0 pounds per square inch

Regulation Type:

Manual single stage

Manual Control Method:

Knob

Valve Stem Design:

Single seat

Valve Loading Method:

Spring

Maximum Inlet Pressure Rating:

300.0 pounds per square inch

Filter:

Not included

End Application:

Arsr1

Tempurature Rating:

Between -40.0 degrees fahrenheit and 180.0 degrees fahrenheit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A21100