

View Online at <https://aerobasegroup.com/nsn/4820-01-048-5027>

Thread Class:

3a all ends

Thread Direction:

Right-hand all ends

Flow Control Device:

Stem

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Threaded

Renewable Seat Ring Type:

Pressed-in

Maximum Operating Temp:

225.0 degrees fahrenheit single response

Connection Style:

G43 external seat for gasket seal (boss) all ends

Valve Operation Method:

Manual

Connection Type:

Threaded external boss all ends

Thready Qty Per Inch (tpi):

12 all ends

Maximum Operating Pressure:

6000.0 pounds per square inch single response

Thread Size:

0.875 inches all ends

Seat Angle:

37.0 degrees all ends

Special Features:

Item furnished w/o union nut and tailpiece, may be installed w/either pipe or @tube

Material:

Copper alloy bodysteel comp 316 flow control devicenickel alloy seat

Material Specification:

66 federal standard single material response flow control deviceqq-n-281 federal specification single material response seat

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Err-090

Thread Series Designator:

Un all ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A046b0