NSN 4820-01-056-5503

Globe Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-01-056-5503

inread Class:
2b all ends
Thread Direction:
Right-hand all ends
Offset Distance:
0.630 inches
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Connection Style:
High pressure flar (tube) all ends
Valve Operation Method:
Manual
Connection Type:
Threaded internal tube all ends
Mounting Facility:
Bracket
Thready Qty Per Inch (tpi):
16 all ends
Maximum Operating Pressure:
20000.0 pounds per square inch single response
Thread Size:
0.688 inches all ends
Seat Angle:
30.0 degrees all ends
Criticality Code Justification:
Zzzy
Outside Diameter Tube Accommodated:
0.562 inches all ends
Special Features:
For navy nuclear propulsion plant only
Material:
Steel comp 316 stem
Material Specification:
Qq0s0763, class 316 federal specification single material response stem
Style Designator:
Err-090
Thread Series Designator:
Un all ends

NSN 4820-01-056-5503

Globe Valve - Page 2 of 2

A046b0



Furnished Items And Quantity:
2 nut
Reference Number Differentiating Characteristics:
As differentiated by free from mercury contamination
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: