

View Online at <https://aerobasegroup.com/nsn/4820-01-067-5220>

Flow Control Device:

Poppet

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Bolted

Bolt Hole Quantity:

4 all ends

Maximum Operating Temp:

120.0 degrees fahrenheit single response

Valve Operation Method:

Manual

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Valve Size:

2.000 inches

Maximum Operating Pressure:

10.0 pounds per square inch single response

Outside Diameter:

6.000 inches all ends

Face To Face Distance:

10.250 inches

Thickness:

7.500 inches all ends

Bolt Hole Diameter:

0.625 inches all ends

Bolt Circle Diameter:

4.750 inches all ends

Flange Face Design:

Raised straight all ends

Raised Face Height:

0.062 inches all ends

Raised Face Diameter:

3.625 inches all ends

Material:

Steel comp 410 flow control device

Material Specification:

Qq-s-764, comp 303-canceled federal specification single material response seat

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Style Designator:

Err-090

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0