NSN 4820-01-077-2675

Safety Relief Valve - Page 1 of 2

Flow Control Device:

Bolt Hole Quantity:

Disk



View Online at https://aerobasegroup.com/nsn/4820-01-077-2675

8 all ends
Maximum Operating Temp:
450.0 degrees fahrenheit single response
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
6.000 inches
Maximum Operating Pressure:
150.0 pounds per square inch single response
Opening Pressure Setting:
95.0 pounds per square inch
Outside Diameter:
9.000 inches 2nd end
Thickness:
1.000 inches 1st end
First Connection Face To Centerline Distance:
7.750 inches
Bolt Hole Diameter:
0.750 inches 1st end
Second Connection Face To Centerline Distance:
8.750 inches
Bolt Circle Diameter:
9.500 inches 1st end
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Raised Face Diameter:
8.500 inches 1st end
Material:
Stainless steel flow control device
Material Specification:
Astm a216 assn standard single material response body
Style Designator:
Err-090

NSN 4820-01-077-2675

Safety Relief Valve - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0